

	Application No.	Applicant(s)
Notice of Allowability	10/520,010	KAWAMURA ET AL.
	Examiner	Art Unit
	Thinh T. Nguyen	2818
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>12/30/2004</u> .		
2. The allowed claim(s) is/are <u>3-5</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 D Nation of Informal D	-44 A
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	Notice of Informal P     Interview Summary	atent Application (PTO-152) (PTO-413).
	Paper No./Mail Dat	e
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.  Other	

Application/Control Number: 10/520,010 Page 2

Art Unit: 2818

## **DETAILED ACTION**

1. Claims 3-5 are pending in the Application, claims 1-2 have been cancelled by the Applicant.

## Specification

2. The specification has been checked to the extent necessary to determine the presence of all possible minor errors. However, the applicant cooperation is requested *i*n correcting any errors of which the applicant may become aware in the specification.

## Reason for allowance

- 3. Claims 3-5 are allowed. The following is an examiner's statement of reason for allowance: None of the references of record teaches or suggests the claimed ORGANIC EL DISPLAY having the limitations:
- -- " at least one passivation layer; at least two overcoat layers, the at least two overcoat layers having Young's moduli different from one another;
- a color layer, further comprising color-converting layers alone or laminates of color filter layers and color-converting layers;

Application/Control Number: 10/520,010 Page 3

Art Unit: 2818

and a supporting transparent substrate, the color layer being formed on a side of the supporting transparent substrate facing the organic electroluminescent device; wherein the at least two overcoat layers are laminated onto a second-electrode side of the organic electroluminescent device, and one of the at least two overcoat layers is in close contact with the surface of the passivation layer, and wherein the substrate and the supporting substrate are sealed and bonded together at a periphery thereof. "--

And all other limitations as recited in claim 3.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

4. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d) which papers have been placed of record in the file.

Application/Control Number: 10/520,010 Page 4

Art Unit: 2818

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's 5. disclosure: Codama et al. (US patent 6,114,805) disclose an organic electroluminescent display with filter layer.

Any inquiry concerning this communication or earlier communications from the 6. examiner should be directed to Thinh T Nguyen whose telephone number is 571-272-1790. The examiner can normally be reached on Monday-Friday 9:30am-6: 30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached at 571-272-1907.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval [ PAIR ] system.

Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thinh T Nguyen

ANDY HUYNH PRIMBRY BXBMINER

and thurse

Art unit 2818